

29 CFR Part 1910 – General Industry

STANDARDS REQUIRING SAFETY AND HEALTH INSPECTIONS

The table below includes 29 CFR Part 1910 – General Industry standards and North Carolina State-Specific standards that require inspections. Some standards require documentation of the inspection while others do not. As such, the standard should be reviewed to ensure that all required documentation is being maintained.

***Note:** It is recommended, as a ‘best practice’, to always document your inspections even if a standard does not require it.*

Free Outreach Resources:

[Safety and Health Programs and Plans](#) (i.e., Example Programs to be Made Site-Specific)

[Safety and Health Topics](#) (i.e., Learn More About Safety and Health Topics)

[Which Standards Apply?](#) (Identify the Standards Applicable to Your Worksite)

[Safety and Health Presentations](#) (Downloadable Presentations to be Made Site-Specific)

[OSH Training Calendar](#) (i.e., Register for Webinars, In-Person Classroom Training, Virtual Events)

[Streaming Video Services](#) (On-Demand Training)

[Request Outreach Services](#) (i.e., Request Training, Booths, Guest Speaker)

[AskOSH](#) (Inquiries)

| 29 CFR PART 1910—GENERAL INDUSTRY | | |
|--|---|--------------------------------|
| <u>Subpart D</u>—Walking-Working Surfaces | Inspections | Documented |
| <u>1910.22</u> —General Requirements | <i>Regularly</i> | <i>Not Stated</i> |
| <u>1910.23</u> —Ladders | <i>Initially (Each Shift), Frequently</i> | <i>Not Stated</i> |
| <u>1910.24</u> —Step Bolts and Manhole Steps | <i>Initially (Each Shift)</i> | <i>Not Stated</i> |
| <u>1910.27</u> —Scaffolds and Rope Descent Systems (References 1926 Subpart L—Scaffolds) | <i>Initially (Each Shift), Annually, After Occurrence</i> | <i>Anchorage certification</i> |
| <u>1910.28</u> —Duty to Have Fall Protection and Falling Object Protection (References 1926.503—Fall Protection - Training Requirements) | <i>Inspection Exemption</i> | <i>Not Stated</i> |

| | | |
|---|---|-----------------------------|
| 1910.29 —Fall Protection Systems and Falling Object Protection – Criteria and Practices | <i>As Necessary</i> | <i>Not Stated</i> |
| Subpart F—Powered Platforms, Manlifts, and Vehicle-Mounted Work Platforms | Inspections | Documented |
| 1910.66 —Powered Platforms for Building Maintenance | <i>Initially, After Service, Every 30 Days, Periodically (Annually), After Occurrence</i> | <i>Inspection Forms</i> |
| 1910.67 —Vehicle-Mounted Elevating and Rotating Work Platforms | <i>Before Travel, Prior to Use</i> | <i>Inspection Forms</i> |
| 1910.68 —Manlifts | <i>Intervals (30 Days), Weekly</i> | <i>Certification Record</i> |
| Subpart G—Occupational Health and Environmental Control | Inspections | Documented |
| 1910.94 —Ventilation | <i>Regularly</i> | <i>Not Stated</i> |
| Subpart H—Hazardous Material | Inspections | Documented |
| 1910.103 —Hydrogen | <i>Out of Service One Year, Initially</i> | <i>Not Stated</i> |
| 1910.106 —Flammable Liquids | <i>Initially, Periodically, Before Hot Work</i> | <i>Not Stated</i> |
| 1910.107 —Spray Finishing Using Flammable and Combustible Material | <i>Initially, Regularly</i> | <i>Not Stated</i> |
| 1910.109 —Explosives and Blasting Agents | <i>Daily Visual, Initially (Vehicle)</i> | <i>Not Stated</i> |
| 1910.111 —Storage and Handling of Anhydrous Ammonia | <i>Periodically</i> | <i>Certification Record</i> |
| 1910.119 —Process Safety Management of Highly Hazardous Chemicals | <i>Per Manufacturer’s Specifications, Frequently</i> | <i>Not Stated</i> |
| 1910.120 —Hazardous Waste Operations and Emergency Response (HAZWOPER) | <i>Prior to Handling, Regularly</i> | <i>Not Stated</i> |

Note: This document is intended to be consistent with existing OSHA standards; therefore, if an area is considered by the reader to be inconsistent with a standard, then the OSHA standard should be followed.

| <u>Subpart I</u>—Personal Protective Equipment | Inspections | Documented |
|--|--|--|
| <u>1910.132</u> —General Requirements | <i>Initially, Changes</i> | <i>Certification (Hazard Assessment)</i> |
| <u>1910.134</u> —Respiratory Protection | <i>Before Use, During Cleaning, Monthly</i> | <i>Certification</i> |
| <u>1910.137</u> —Electrical Protective Devices | <i>Before Use, After Incident</i> | <i>Not Stated</i> |
| <u>1910.140</u> —Personal Fall Protection Systems | <i>Before Use, After Incident</i> | <i>Not Stated</i> |
| <u>Subpart J</u>—General Environmental Controls | Inspections | Documented |
| <u>1910.146</u> —Permit-Required Confined Spaces | <i>Initially (Space Evaluation)</i> | <i>Not Stated</i> |
| <u>1910.147</u> —Control of Hazardous Energy (LOTO) | <i>Periodically (Annually)</i> | <i>Certification</i> |
| <u>Subpart L</u>—Fire Protection | Inspections | Documented |
| <u>1910.156</u> —Fire Brigades | <i>Monthly, Annually</i> | <i>Not Stated</i> |
| <u>1910.157</u> —Portable Fire Extinguishers | <i>Monthly, Annually</i> | <i>Record</i> |
| <u>1910.158</u> —Standpipe and Hose Systems | <i>Annually, After Use</i> | <i>Not Stated</i> |
| <u>1910.160</u> —Fixed Extinguishing Systems | <i>Semi-Annually, Annually</i> | <i>Inspection Forms</i> |
| <u>Subpart N</u>—Materials Handling and Storage | Inspections | Documented |
| <u>1910.177</u> —Servicing Multi-Piece and Single-Piece Rim Wheels | <i>Visually Daily, After Service</i> | <i>Inspection Certification</i> |
| <u>1910.178</u> —Powered Industrial Trucks | <i>Daily, After Each Shift</i> | <i>Not Stated</i> |
| <u>1910.179</u> —Overhead and Gantry Cranes | <i>Initially, After Repair, After Occurrences, Frequently (Daily, Monthly), Periodically (Quarterly, Annually)</i> | <i>Inspection Certification</i> |

Note: This document is intended to be consistent with existing OSHA standards; therefore, if an area is considered by the reader to be inconsistent with a standard, then the OSHA standard should be followed.

| | | |
|--|--|---------------------------------|
| 1910.180 —Crawler, Locomotive and Truck Cranes | <i>Initially, Frequently (Daily, Monthly), Periodically (Annually)</i> | <i>Inspection Certification</i> |
| 1910.183 —Derricks | <i>Initially, After Repair, After Occurrences, Frequently (Daily, Monthly), Periodically (Quarterly, Annually)</i> | <i>Inspection Certification</i> |
| 1910.184 —Slings | <i>Initially, Prior to Use, Periodically (Annually)</i> | <i>Inspection Forms</i> |
| Subpart O—Machinery and Machine Guarding | Inspections | Documented |
| 1910.215 —Abrasive Wheel Machinery | <i>Before Mounting Wheel</i> | <i>Not Stated</i> |
| 1910.217 —Mechanical Power Press | <i>Periodically, Regularly, Each Shift, After Repair</i> | <i>Inspection Certification</i> |
| 1910.218 —Forging Machines | <i>Periodically, Regularly</i> | <i>Inspection Certification</i> |
| 1910.219 —Mechanical Power-Transmission Apparatus | <i>Initially, Bi-Monthly</i> | <i>Not Stated</i> |
| Subpart P—Hand and Portable Powered Tools and Other Hand-Held Equipment | Inspections | Documented |
| 1910.243 —Guarding of Portable Powered Tools | <i>Before Mounting Wheels, Before Tool Use, Regular Intervals, Six Months</i> | <i>Not Stated</i> |
| 1910.244 —Other Portable Tools and Equipment | <i>Semi-Annually, After Incidents, After Repair</i> | <i>Not Stated</i> |
| Subpart Q—Welding, Cutting and Brazing | Inspections | Documented |
| 1910.252 —Welding, Cutting and Brazing – General Requirements | <i>Before Use</i> | <i>Not Stated</i> |
| 1910.253 —Oxygen-Fuel Gas Welding and Cutting | <i>Before Use</i> | <i>Not Stated</i> |
| 1910.254 —Arc Welding and Cutting | <i>After Being Wet</i> | <i>Not Stated</i> |

Note: This document is intended to be consistent with existing OSHA standards; therefore, if an area is considered by the reader to be inconsistent with a standard, then the OSHA standard should be followed.

| | | |
|--|---|---------------------------------|
| 1910.255 —Resistance Welding | <i>Periodically</i> | <i>Not Stated</i> |
| Subpart R—Special Industries | Inspections | Documented |
| 1910.261 —Pulp, Paper, and Paperboard Mills | <i>Before Use, Daily, Monthly, Semi-Annually, Regularly, Annually</i> | <i>Not Stated</i> |
| 1910.263 —Bakery Equipment | <i>Every 30 Days, Semi-Monthly, Annually</i> | <i>Not Stated</i> |
| 1910.265 —Sawmills | <i>Initially, Weekly, Frequently, Periodically, Monthly</i> | <i>Not Stated</i> |
| 1910.266 —Logging Operations | <i>Initially Before Each Days' Use</i> | <i>Not Stated</i> |
| 1910.268 —Telecommunications | <i>Initially Before Each Days' Use (Visually), Weekly</i> | <i>Not Stated</i> |
| 1910.269 —Electric Power Generation, Transmission and Distribution | <i>Initially, Regularly (Annually), Periodically (Annually), Before Use</i> | <i>Not Stated</i> |
| 1910.272 —Grain Handling Facilities | <i>Regularly, Daily Visually</i> | <i>Inspection Certification</i> |
| Subpart S—Electrical | Inspections | Documented |
| 1910.304 —Wiring Design and Protection | <i>Visually Before Use, Daily, Quarterly, Semi-Annually</i> | <i>Not Stated</i> |
| 1910.333 —Selection and Use of Work Practices | <i>Visually Before Use</i> | <i>Not Stated</i> |
| 1910.334 —Use of Equipment | <i>Visually Before Use</i> | <i>Not Stated</i> |
| 1910.335 —Safeguards for Personnel Protection | <i>Periodically</i> | <i>Not Stated</i> |
| Subpart T—Commercial Diving Operations | Inspections | Documented |
| 1910.421 —Pre-Dive Procedures | <i>Before Dive</i> | <i>Inspection Forms*</i> |

Note: This document is intended to be consistent with existing OSHA standards; therefore, if an area is considered by the reader to be inconsistent with a standard, then the OSHA standard should be followed.

| | | |
|---|--|---|
| 1910.430 —Equipment | <i>Regularly, Semi-Annually, Annually</i> | <i>Inspection Forms*</i> |
| 1910.440 —Recordkeeping | <i>Regularly, Semi-Annually, Annually</i> | <i>Inspection Forms*</i> |
| * 1910.440 —Recordkeeping requires documenting inspections. | | |
| Subpart Z—Toxic and Hazardous Substances | Inspections | Documented |
| 1910.1001 —Asbestos | <i>Before Brake/Clutch Repair, Initially (Building)</i> | <i>Not Stated</i> |
| 1910.1029 —Coke Oven Emissions | <i>Regularly</i> | <i>Inspection Forms</i> |
| 1910.1030 —Bloodborne Pathogens | <i>Routinely</i> | <i>Not Stated</i> |
| 1910.1045 —Acrylonitrile | <i>Regularly</i> | <i>Not Stated</i> |
| 1910.1048 —Formaldehyde | <i>Regularly</i> | <i>Not Stated</i> |
| 1910.1050 —Methylenedianiline | <i>Regularly</i> | <i>Not Stated</i> |
| 1910.1096 —Ionizing Radiation | <i>Initially, Periodically</i> | <i>Not Stated</i> |
| 13 NORTH CAROLINA ADMINISTRATIVE CODE CHAPTER 7—OFFICE OF OCCUPATIONAL SAFETY AND HEALTH | | |
| Subchapter 7A—General Rules and Operational Procedures | Inspections | Documented |
| 7A .0600 —Safety and Health Programs and Committees | <i>Quarterly, Annually (Also Dependent on Applicable OSHA Standards)</i> | <i>Inspection Forms (Also Dependent on Applicable OSHA Standards)</i> |
| Subchapter 7F—Standards | Inspections | Documented |
| 7F .0600 —Communication Tower Standards | <i>Initially, Daily, Annually, Changes</i> | <i>Inspection Forms</i> |

Note: This document is intended to be consistent with existing OSHA standards; therefore, if an area is considered by the reader to be inconsistent with a standard, then the OSHA standard should be followed.